


Sexually Transmitted Diseases Reported Cases in the State of Idaho

October - December, 2002

1					
District	Chlamydia	Gonorrhea	Syphilis	TOTAL	
1	96	5	0	101	
2	70	3	1	74	
3	119	5	7	131	
4	248	10	3	261	
5	67	1	0	68	
6	55	2	2	59	
7	48	4	0	52	
Total	703	30	13	746	

January - December 2002

				-
District	Chlamydia	Gonorrhea	Syphilis	TOTAL
1	292	10	0	302
2	203	15	1	219
3	465	21	10	496
4	943	27	7	977
5	285	5	4	292
6	180	10	2	192
7	172	10	0	182
Total	2,540	98	22	2,660



Idaho District Health Departments				
District 1	Coeur d'Alene	667-3481		
District 2	Lewiston	799-3100		
District 3	Caldwell	455-5300		
District 4	Boise	375-5211		
District 5	Twin Falls	734-5900		
District 6	Pocatello	233-9080		
District 7	ldaho Falls	522-0310		

Idaho Cumulative HIV/AIDS December 31, 2002							
B	AIDS	AIDS Cases Reported	Living with	HIV	HIV Cases Reported	Living with	HIV Infection Prevalence ** (HIV and
District	Cases	Deceased	AIDS	Cases*	Deceased	HIV	AIDS Cases)
1	81	47	34	60	10	50	84
2	23	9	14	37	7	30	44
3	60	24	36	68	10	58	94
4	234	121	113	246	42	204	317
5	47	26	21	56	7	49	70
6	54	36	18	52	10	42	60
7_	36	23	13	33	6	27	40
TOTAL	535	286	249	552	92	460	709

Cumulative statistics from April 1986 when HIV became a reportable disease by Idaho Code #39-602.

^{*} HIV (+) - Total number of HIV seropositive individuals excluding <u>Idaho</u> AIDS cases.

^{**} **Prevalence** - Total number of reported HIV seropositive individuals (including AIDS) that have not been reported as deceased.

Cumulative Reported HIV and AIDS Cases

Category		o HIV+ 31/02		no AIDS 2/31/02
Sex Male Female Total	447 105 552	(81%) (19%) (100%)	471 64 535	(88%) (12%) (100%)
<i>Pediatric/Adult & Adolescent</i> Adults/adolescents (≥13 years) Children (<13 years) <i>Total</i>	544 8 552	(99%) (1%) (100%)	532 535	(99%) (1%) (100%)
Race/Ethnicity White Black Hispanic Asian/Pacific Islander American Indian/Alaskan Other & unknown Total	467 23 50 0 11 552	(85%) (4%) (9%) (0%) (2%) (0%) (100%)	470 11 45 4 5 0 535	(88%) (2%) (8%) (1%) (1%) (0%) (100%)
Exposure Catetories - Adults/Adolescents Men who have sex with men Injecting drug use Men sex men & inject drugs Hemophilia/coagulation disorder Heterosexual contact Receipt of blood, components, or tissue Other/risk not reported or identified Total	247 96 43 5 72 12 69 544	(45%) (18%) (8%) (1%) (13%) (13%) (100%)	299 57 42 18 68 136 532	(56%) (11%) (8%) (3%) (13%) (2%) (7%) (100%)
Exposure Categories - Pediatric Hemophilia/coagulation disorder Mother with/at risk for HIV infection Receipt of b lood, components, or tissue Other/risk not reported or identified Total	0 7 0 1 8	(0%) (88%) (0%) (13%) (100%)	0 1 20 3	(0%) (33%) (67%) (0%) (100%)

Rate (cumulative) per 100,000 residents

	_			_
41	0		4 0	_

Idaho AIDS Cases by Age					
Age Under 5 5-12 13-19 20-29 30-39 40-49 Over 49 TOTAL	All Cases 2 1 3 81 240 139 69 535	Percent			

Idaho HIV Positive by age at time of testing (cumulative)				
Age Under 5 5-12 13-19 20-29 30-39 40-49 Over 49 Unknown	Cases 6 2 13 202 226 75 28 0	Percent 1% 0% 2% 37% 41% 14% 5% 0%		
TOTAL	552	100%		

Reports of HIV positive and AIDS cases should be made to the STD/AIDS Program as required by Idaho Code 39-602. Please call the STD/AIDS Program, (208) 334-6527.

Data collection and publication is made possible through a federal grant from the Centers for Disease Control and Prevention, United States — Department of Health and Human Services. Idaho statistics are posted on the Internet four times per year. To be placed on an e-mail alert group to signal you when a new issue is posted, please e-mail Allen Haumann at haumanna@idhw.state.id.us.